



























































LED SILICONE NEON STRIP































CONTENTS























CONTENTS




CONTENTS



CONTENTS



LWTG1105-1




Lighting Direction	Top Lighting
PCB Width(mm)	8
Weight(g/m)	50
Section size(mm)	5*11
Beam angle	120°



End cap with hole End cap no hole Plastic Clip

LWTG1305-1




Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	56
Section size(mm)	5*13
Beam angle	120°



End cap with hole End cap no hole Plastic Clip



LWTG1505-1




Lighting Direction	Top Lighting
PCB Width(mm)	12
Weight(g/m)	61
Section size(mm)	5*15
Beam angle	120°





LWTG0606-1




Lighting Direction	Top Lighting
PCB Width(mm)	3
Weight(g/m)	42
Section size(mm)	6*6
Beam angle	180°



LWTG0808-1





Lighting Direction	Top Lighting
PCB Width(mm)	5
Weight(g/m)	56
Section size(mm)	8*0
Beam angle	120°
Aluminum Profile size	




End cap no hole End cap with hole Aluminum Clip

LWTG1010-1






Lighting Direction	Top Lighting
PCB Width(mm)	5/6
Weight(g/m)	112
Section size(mm)	10*10
Beam angle	120°
Aluminum Profile size	



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG1010-2



Lighting Direction 3 Sides Top Lighting



PCB Width(mm) 5/6

Weight(g/m) 116

Section size(mm) 10*10




Beam angle 180°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG1010-3



Lighting Direction Top Lighting


PCB Width(mm) 5

Weight(g/m) 90

Section size(mm) 10*10



Beam angle 120°

Aluminum Profile size




End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile




LWTG1010-4





Lighting Direction	Side Lighting
PCB Width(mm)	6
Weight(g/m)	84
Section size(mm)	10*10
Beam angle	120°
Aluminum Profile size	






LWTG1212-1



Lighting Direction	Top Lighting
PCB Width(mm)	8
Weight(g/m)	138
Section size(mm)	12*12
Beam angle	120°
Aluminum Profile size	



LWTG1212-2



Lighting Direction 3 Sides Top Lighting



PCB Width(mm) 8

Weight(g/m) 125



Section size(mm) 12*12

Beam angle 180°

Aluminum Profile size



LWTG1212-3



Lighting Direction Top Lighting



PCB Width(mm) 8

Weight(g/m) 114




Section size(mm) 12*12


Beam angle 120°


Aluminum Profile size






LWTG1212-4





Lighting Direction	Side Lighting
PCB Width(mm)	5
Weight(g/m)	166
Section size(mm)	12*12
Beam angle	120°
Aluminum Profile size	






LWTG1212-8




Lighting Direction	Side Lighting
PCB Width(mm)	8
Weight(g/m)	135
Section size(mm)	12*12
Beam angle	120°
Aluminum Profile size	






LWTG1215-1





Lighting Direction	Side Lighting
PCB Width(mm)	8
Weight(g/m)	180
Section size(mm)	12*15
Beam angle	120°
Aluminum Profile size	

LWTG1414-2



Lighting Direction	3 sides Top Lighting
PCB Width(mm)	10
Weight(g/m)	147
Section size(mm)	14*14
Beam angle	180°
Aluminum Profile size	

LWTG1414-1



Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	145
Section size(mm)	14*14
Beam angle	120°
Aluminum Profile size	






End cap with hole

End cap no hole

Aluminum Clip

Aluminum Profile

LWTG1414-3



Lighting Direction	Side Lighting
PCB Width(mm)	8
Weight(g/m)	163
Section size(mm)	14*14
Beam angle	120°
Aluminum Profile size	



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG1510-1




Lighting Direction Top Lighting


PCB Width(mm) 10

Weight(g/m) 131

Section size(mm) 15*10



Beam angle 120°

Aluminum Profile size 



End cap with hole End cap no hole Aluminum Clip Aluminum Profile

LWTG1515-1




Lighting Direction Top Lighting

PCB Width(mm) 10

Weight(g/m) 170

Section size(mm) 15*15



Beam angle 120°

Aluminum Profile size 




End cap with hole End cap no hole Aluminum Clip

LWTG1614-1






Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	210
Section size(mm)	16*14
Beam angle	120°
Aluminum Profile size	




End cap with hole End cap no hole Aluminum Clip Flexible Profile

LWTG1616-1






Lighting Direction	Top Lighting
PCB Width(mm)	10/12
Weight(g/m)	238
Section size(mm)	16*16
Beam angle	120°
Aluminum Profile size	



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG1616-2



Lighting Direction Top Lighting



PCB Width(mm) 10

Weight(g/m) 192

Section size(mm) 16*16




Beam angle 120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG1616-3



Lighting Direction Side Lighting



PCB Width(mm) 10

Weight(g/m) 259

Section size(mm) 16*16




Beam angle 120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG1616-4



Lighting Direction 3 sides Top Lighting



PCB Width(mm) 10

Weight(g/m) 198

Section size(mm) 16*16

Beam angle 180°

Aluminum Profile size



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG1617-1



Lighting Direction Side Lighting



PCB Width(mm) 12

Weight(g/m) 232

Section size(mm) 16*17

Beam angle 120°

Aluminum Profile size




End cap with hole

End cap no hole

Aluminum Clip

Flexible Profile

LWTG2014-1



Lighting Direction Top Lighting

PCB Width(mm) 10/12

Weight(g/m) 255



Section size(mm) 20*14

Beam angle 180°

Aluminum Profile size 



LWTG2014-2




Lighting Direction 3 sidesTop Lighting

PCB Width(mm) 10/12

Weight(g/m) 251



Section size(mm) 20*14


Beam angle 180°

Aluminum Profile size 






LWTG2014-3





Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	183
Section size(mm)	20*14
Beam angle	120°
Aluminum Profile size	






LWTG2020-1



Lighting Direction	Top Lighting
PCB Width(mm)	10/12
Weight(g/m)	348
Section size(mm)	20*20
Beam angle	180°
Aluminum Profile size	



LWTG2020-2



Lighting Direction 3 sides Top Lighting


PCB Width(mm) 10/12

Weight(g/m) 295

Section size(mm) 20*20



Beam angle 180°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG2020-3



Lighting Direction Top Lighting


PCB Width(mm) 10/12

Weight(g/m) 271

Section size(mm) 20*20



Beam angle 180°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG2020-4



Lighting Direction Top/Side Lighting

PCB Width(mm) Top View 8/Side View 10

Weight(g/m) 297



Section size(mm) 20*20

Beam angle 120°

Aluminum Profile size 



LWTG2010-1




Lighting Direction Top Lighting


PCB Width(mm) 10/12

Weight(g/m) 180



Section size(mm) 20*10


Beam angle 120°


Aluminum Profile size 





LWTG2517-1




Lighting Direction	Top Lighting
PCB Width(mm)	15
Weight(g/m)	362
Section size(mm)	25*17
Beam angle	120°
Aluminum Profile size	





LWTG2720-1



Lighting Direction	Top Lighting
PCB Width(mm)	15
Weight(g/m)	400
Section size(mm)	27*20
Beam angle	120°
Aluminum Profile size	



LWTG3020-1



Lighting Direction Top Lighting


PCB Width(mm) 15

Weight(g/m) 476

Section size(mm) 30*20




Beam angle 120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG3020-2



Lighting Direction Top Lighting


PCB Width(mm) 15

Weight(g/m) 428

Section size(mm) 30*20




Beam angle 120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG3032-1



Lighting Direction Side Lighting


PCB Width(mm) 12/15

Weight(g/m) 644

Section size(mm) 30*32



Beam angle 120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile

LWTG4025-1



Lighting Direction Top Lighting



PCB Width(mm) 20

Weight(g/m) 657

Section size(mm) 40*25



Beam angle 120°

Aluminum Profile size




End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile




LWTG5025-1




Lighting Direction	Top Lighting
PCB Width(mm)	20
Weight(g/m)	860
Section size(mm)	50*25
Beam angle	120°
Aluminum Profile size	




LWTG7030-1




Lighting Direction	Top Lighting
PCB Width(mm)	30
Weight(g/m)	1339
Section size(mm)	70*30
Beam angle	120°
Aluminum Profile size	



LWTG10030-1





Lighting Direction	Top Lighting
PCB Width(mm)	20X2
Weight(g/m)	1836
Section size(mm)	100*30
Beam angle	120°
Aluminum Profile size	



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG0408-1






Lighting Direction	Side Lighting
PCB Width(mm)	5
Weight(g/m)	30
Section size(mm)	4*8
Beam angle	120°



End cap with hole End cap no hole

LWTG0410-1



Lighting Direction Side Lighting



PCB Width(mm) 5/6

Weight(g/m) 47

Section size(mm) 4*10



Beam angle 120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG0612-1



Lighting Direction Side Lighting


PCB Width(mm) 8

Weight(g/m) 75

Section size(mm) 6*12



Beam angle 120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG0613-1



Lighting Direction Side Lighting



PCB Width(mm) 8

Weight(g/m) 79


Section size(mm) 6*13

Beam angle 180°

Aluminum Profile size



LWTG0616-1



Lighting Direction Side Lighting



PCB Width(mm) 8

Weight(g/m) 89



Section size(mm) 6*16

Beam angle 120°

Aluminum Profile size



WTG0616-4





Lighting Direction	Side Lighting
PCB Width(mm)	8
Weight(g/m)	90
Section size(mm)	6*16




End cap with hole

End cap no hole

LWTG0814-1



Lighting Direction	Side Lighting
PCB Width(mm)	8
Weight(g/m)	145
Section size(mm)	8*14
Beam angle	120°
Aluminum Profile size	





End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile


LWTG0815-1





Lighting Direction	Side Lighting
PCB Width(mm)	8
Weight(g/m)	114
Section size(mm)	8*15
Beam angle	180°
Aluminum Profile size	





LWTG0816-1




Lighting Direction	Side Lighting
PCB Width(mm)	8
Weight(g/m)	112
Section size(mm)	8*16
Beam angle	180°
Aluminum Profile size	



LWTG0815-2





Lighting Direction	Side Lighting
PCB Width(mm)	8
Weight(g/m)	118
Section size(mm)	8*16
Beam angle	120°
Aluminum Profile size	



End cap with hole End cap no hole Aluminum Clip Flexible Profile

LWTG0817-1





Lighting Direction	Side Lighting
PCB Width(mm)	8
Weight(g/m)	131
Section size(mm)	8*17
Beam angle	270°
Aluminum Profile size	



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG1018-1



Lighting Direction 3 side Top Lighting


PCB Width(mm) 10

Weight(g/m) 195



Section size(mm) 10*18

Beam angle 180°

Aluminum Profile size



LWTG1020-1




Lighting Direction Side Lighting

PCB Width(mm) 10


Weight(g/m) 213

Section size(mm) 10*20

Beam angle 120°






LWTG1023-1





Lighting Direction	Side Lighting
PCB Width(mm)	10
Weight(g/m)	272
Section size(mm)	10*23
Beam angle	270°
Aluminum Profile size	

LWTG1023-2



Lighting Direction	Side Lighting
PCB Width(mm)	10
Weight(g/m)	196
Section size(mm)	10*23
Beam angle	270°
Aluminum Profile size	

LWTG1220-1



Lighting Direction Side Lighting



PCB Width(mm) 10

Weight(g/m) 248


Section size(mm) 12*20

Beam angle 120°

Aluminum Profile size



LWTG1220-5



Lighting Direction Side Lighting


PCB Width(mm) 12

Weight(g/m) 248


Section size(mm) 12*20

Beam angle 120°

Aluminum Profile size



LWTG1220-2



Lighting Direction Side Lighting


PCB Width(mm) 10

Weight(g/m) 195


Section size(mm) 12*20

Beam angle 120°

Aluminum Profile size



LWTG1225-1



Lighting Direction Side Lighting


PCB Width(mm) 12

Weight(g/m) 335



Section size(mm) 12*25

Beam angle 270°

Aluminum Profile size



LWTG1225-2



Lighting Direction Side Lighting


PCB Width(mm) 10

Weight(g/m) 243




Section size(mm) 12*25

Beam angle 270°

Aluminum Profile size



LWTG1525-1



Lighting Direction 3 sides Top Lighting


PCB Width(mm) 10

Weight(g/m) 320

Section size(mm) 15*25

Beam angle 180°


LWTG1313-1



Lighting Direction	Top Lighting
PCB Width(mm)	8
Weight(g/m)	142
Section size(mm)	13*13
Beam angle	180°





LWTG1513-1



Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	143
Section size(mm)	13*15
Beam angle	180°



LWTG13-1



Lighting Direction	Top Lighting
PCB Width(mm)	5
Weight(g/m)	136
Section size(mm)	∅13
Beam angle	270°



End cap with hole






End cap no hole



Plastic clip

LWTG20-1



Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	320
Section size(mm)	∅20
Beam angle	270°



End cap with hole




End cap no hole



Plastic clip


LWTG20-2



Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	241
Section size(mm)	ø20
Beam angle	270°





LWTG13-2



Lighting Direction	360°
PCB Width(mm)	double-sided 4/5
Weight(g/m)	145
Section size(mm)	ø13
Beam angle	360°




LWTG15-1



Lighting Direction	360°
PCB Width(mm)	double-sided 5/6
Weight(g/m)	164
Section size(mm)	∅15
Beam angle	360°





LWTG16-1



Lighting Direction	360°
PCB Width(mm)	double-sided 5/6
Weight(g/m)	200
Section size(mm)	∅16
Beam angle	360°



LWTG18-1



Lighting Direction	360°
PCB Width(mm)	double-sided 8
Weight(g/m)	226
Section size(mm)	∅18
Beam angle	360°



End cap with hole




End cap no hole



Plastic clip

LWTG20-3



Lighting Direction	360°
PCB Width(mm)	double-sided 8
Weight(g/m)	287
Section size(mm)	∅20
Beam angle	360°



End cap with hole





End cap no hole



Plastic clip

LWTG22-1



Lighting Direction	360°
PCB Width(mm)	double-sided 5/6
Weight(g/m)	348
Section size(mm)	∅22
Beam angle	360°



End cap with hole





End cap no hole



Plastic clip

LWTG22-2



Lighting Direction	360°
PCB Width(mm)	double-sided 8/10
Weight(g/m)	327
Section size(mm)	∅ 22
Beam angle	360°



End cap with hole




End cap no hole



Plastic clip


LWTG25-1



Lighting Direction	360°
PCB Width(mm)	double-sided 8
Weight(g/m)	408
Section size(mm)	∅25
Beam angle	360°




LWTG28-1



Lighting Direction	360°
PCB Width(mm)	double-sided 8
Weight(g/m)	600
Section size(mm)	∅28
Beam angle	360°




LWTG30-1



Lighting Direction	360°
PCB Width(mm)	double-sided 10
Weight(g/m)	621
Section size(mm)	ø30
Beam angle	360°





LWTG38-1




Lighting Direction	360°
PCB Width(mm)	double-sided 10
Weight(g/m)	1060
Section size(mm)	ø38
Beam angle	360°






LWTG22-4



Lighting Direction	Top Lighting
PCB Width(mm)	5
Weight(g/m)	157
Section size(mm)	22*14
Beam angle	180°
Aluminum Profile size	






LWTG1010-5



Lighting Direction	Top Lighting
PCB Width(mm)	5
Weight(g/m)	96
Section size(mm)	10*9
Beam angle	120°
Aluminum Profile size	



LWTG1212-5



Lighting Direction Top Lighting


PCB Width(mm) 8

Weight(g/m) 132

Section size(mm) 12*11

Beam angle 120°

Aluminum Profile size






Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG1616-5



Lighting Direction Top Lighting


PCB Width(mm) 10

Weight(g/m) 186

Section size(mm) 16*15

Beam angle 120°

Aluminum Profile size






Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG2014-4



Lighting Direction Top Lighting


PCB Width(mm) 10

Weight(g/m) 238

Section size(mm) 20*14

Beam angle 120°

Aluminum Profile size






Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG2020-5



Lighting Direction Top Lighting


PCB Width(mm) 10/12

Weight(g/m) 296

Section size(mm) 20*19

Beam angle 120°

Aluminum Profile size






Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG1010-7



Lighting Direction Top Lighting


PCB Width(mm) 5

Weight(g/m) 94

Section size(mm) 10*9

Beam angle 120°

Aluminum Profile size






Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG1212-7



Lighting Direction Top Lighting


PCB Width(mm) 8

Weight(g/m) 124

Section size(mm) 12*11

Beam angle 120°

Aluminum Profile size






Aluminum Clip

Aluminum Profile

Flexible Profile



LWTG1510-2




Lighting Direction	Top Lighting
PCB Width(mm)	8/10
Weight(g/m)	107
Section size(mm)	15*9
Beam angle	120°
Aluminum Profile size	






LWTG1616-8




Lighting Direction	Top Lighting
PCB Width(mm)	8/10
Weight(g/m)	172
Section size(mm)	16*15
Beam angle	120°
Aluminum Profile size	





LWTG2010-2




Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	180
Section size(mm)	20*9
Beam angle	120°
Aluminum Profile size	





LWTG2020-8




Lighting Direction	Top Lighting
PCB Width(mm)	10/12
Weight(g/m)	253
Section size(mm)	20*19
Beam angle	120°
Aluminum Profile size	



LWTG2020-9



Lighting Direction	Top Lighting
PCB Width(mm)	10/12
Weight(g/m)	250
Section size(mm)	20*19
Beam angle	120°
Aluminum Profile size	





Aluminum Clip

Aluminum Profile



Flexible Profile

LWTG2018-1



Lighting Direction	Top Lighting
PCB Width(mm)	12
Weight(g/m)	183
Section size(mm)	20*18
Beam angle	120°

LWTG3020-3



Lighting Direction Top Lighting


PCB Width(mm) 15

Weight(g/m) 358

Section size(mm) 30*19

Beam angle 120°

Aluminum Profile size





Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG4015-1



Lighting Direction Top Lighting


PCB Width(mm) 15/20

Weight(g/m) 407

Section size(mm) 40*14

Beam angle 120°

Aluminum Profile size





Aluminum Clip

Aluminum Profile

Flexible Profile



LWTG5015-1





Lighting Direction	Top Lighting
PCB Width(mm)	15/20
Weight(g/m)	521
Section size(mm)	50*14
Beam angle	120°
Aluminum Profile size	




LWTG1010-6





Lighting Direction	Top Lighting
PCB Width(mm)	6
Weight(g/m)	72
Section size(mm)	10*10
Beam angle	120°
Aluminum Profile size	





LWTG1212-6




Lighting Direction	Top Lighting
PCB Width(mm)	8
Weight(g/m)	106
Section size(mm)	12*12
Beam angle	120°
Aluminum Profile size	





LWTG1616-6



Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	187
Section size(mm)	16*16
Beam angle	120°
Aluminum Profile size	



LWTG1212-7



Lighting Direction Top Lighting



PCB Width(mm) 10

Weight(g/m) 196


Section size(mm) 16*16

Beam angle 120°

Aluminum Profile size



LWTG2020-6



Lighting Direction Top Lighting



PCB Width(mm) 12

Weight(g/m) 302




Section size(mm) 20*20

Beam angle 120°

Aluminum Profile size



LWTG2020-7



Lighting Direction Top Lighting



PCB Width(mm) 12

Weight(g/m) 330



Section size(mm) 20*20

Beam angle 120°

Aluminum Profile size



LWTG0612-2



Lighting Direction Side Lighting



PCB Width(mm) 8

Weight(g/m) 68


Section size(mm) 6*12

Beam angle 120°

Aluminum Profile size



LWTG0612-3



Lighting Direction Side Lighting



PCB Width(mm) 8

Weight(g/m) 72

Section size(mm) 6*12

Beam angle 120°

Aluminum Profile size



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG0616-2



Lighting Direction Side Lighting



PCB Width(mm) 8

Weight(g/m) 87

Section size(mm) 6*16

Beam angle 120°

Aluminum Profile size



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG0616-3



Lighting Direction Side Lighting



PCB Width(mm) 8

Weight(g/m) 89

Section size(mm) 6*16

Beam angle 120°

Aluminum Profile size



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG1220-3



Lighting Direction Side Lighting



PCB Width(mm) 10

Weight(g/m) 226

Section size(mm) 12*20

Beam angle 120°

Aluminum Profile size



End cap with hole



End cap no hole


Aluminum Clip


Aluminum Profile

Flexible Profile




LWTG1220-4



Lighting Direction	Side Lighting
PCB Width(mm)	10
Weight(g/m)	225
Section size(mm)	12*20
Beam angle	120°
Aluminum Profile size	



LWTG22-3



Lighting Direction	360°
PCB Width(mm)	double-sided 8
Weight(g/m)	397
Section size(mm)	∅22
Beam angle	360°



